## CSV datņu imports SPSS programmā

Oficiālās statistikas portālā publicēti dati atvērtos formātos, tai skaitā pētniecības un mācību dati CSV datnēs. Lai šīs CSV datnes importētu SPSS, turpinājumā ar attēliem sniegta pamācība CSV datņu importam.

1. Atver SPSS programmu un izvēlas File  $\rightarrow$  Open  $\rightarrow$  Data...

tai Untitled14 [DataSet5] - I	3M SPSS Statisti	cs Data Ec	ditor													_	o ×
<u>File E</u> dit <u>View</u> Data	Transform	Analyze	<u>G</u> raphs	<u>U</u> tilities	Add- <u>o</u> ns	Window	Help	p									
New		•		_ =	- 44	*						ABC					
<u>O</u> pen		•	Data				-			14 🔨		•					
Open Data <u>b</u> ase		•	Synt	ах					1			7	V.			Visible: 0	of 0 Variables
💿 Rea <u>d</u> Text Data			🔁 Outp	ut	var	var		var	var	var	var	var	var	var	var	var	var
🚺 <u>C</u> lose	Ctrl+F4	ļ.	B Scrip	ot			_										î
Save	Ctrl+S						_										
S <u>a</u> ve As			H														
Nave All Data																	
📕 Export to Database																	
Mark File Read Only																	
🚮 Rena <u>m</u> e Dataset																	
Display Data File Info	rmation																
🔯 Cache Data			L				_										
Stop Processor	Ctrl+Pe	eriod	H				_										
🐺 Switch Server			H				_										
Repository		•					_										
Rrint Preview							_										
Print	Ctrl+P																
Recently Used Data		•															
Recently Used Files		•															
Exit																	
20			-				_										
21																	•
Data View Variable View	N																
Valiable view																	
Data													IBM SPSS	Statistics Pro	cessor is rea	ty	

## 2. Pie Files of type → Text (.txt, .dat, .csv)

🔄 Untitled14	[DataSet5] - I	BM SPSS Statist	tics Data Ed	litor												-	o ×		
<u>File</u> <u>E</u> dit	View Data	Transform	Analyze	Graphs U	tilities Add-on	s <u>W</u> indow	Help												
2			3			*	2	42 III			ARG								
1:																Visible: 0 o	of 0 Variables		
	var	var	var	var	var	var	var	var	var	var	var		var	var	var	var	var		
1																			
2					_							_	1						
3				_	Dpen Data							$\times$	_						
4				_	Look in:	Documents			- 🖬 🕻										
5					Custom O	ffice Templat							-						
7					My Receiv	ed Files													
8					R														
9					SQL Serve	SPSSInc Solution Studio													
10					Visual Stu														
11					Zoom														
12					File name:	-													
13				_	i no marrie.							pen							
14				-	Files of type:	SPSS Statist	ics (*.sav)			1		aste	-						
15				-	Minimize	Excel (".xis, "	.xlsx, ".xlsm)				Ca	ancel							
17						Sylk (*.slk)					H	lelp							
18						dBase (*.dbf	)	0 * * * * * * *											
19						SAS (*.sas/1 Stata (*.dta)	odat, ~.sd/, ~.s	d2, ^.SSd01, ^.	ssdu4, *.xpt)										
20						Text (*.bd, *.d	at, *.csv)												
21	4					All Files (*.*)					*	_					T IN		
Data View	Variable View	N																	
Data												IB	M SPSS	Statistics Pro	ocessor is rea	idy			

## 3. Izvēlas nepieciešamo datni.

🕞 Untitled14	[DataSet5] - I	BM SPSS Statis	tics Data Ec	ditor														o ×	
<u>File</u> <u>E</u> dit	View Data	Transform	Analyze	Graphs	Utilitie	es Add- <u>o</u> n:	s <u>W</u> indow	Help											
2			7			h	*	¥ =	▲	A (		HES I							
1:																	Visible: 0	of 0 Variables	
	var	var	var	Va	ar	var	var	var	var	var	var	var		var	var	var	var	var	
1																		-	
2					_							-	_	-					
3						Open Data							$\times$						
4		-			Lo	ok in: 😭 🕻	Documents			- 00 6									
5		-	-				# T						_	-					
6	Construction of the rempares     Description       7     My Received Files     Mit HC3.csv       8     Mit HC3.csv     Mit and a site of the rempares																		
1					- 1	R													
9						SPSSInc													
10						Visual Stu													
11					4														
12							C												
13	]				Fil	e name:	HC3.csv						pen						
14					Fil	es of type:	Text (*.bt, *.	dat, *.csv)				E	aste						
15						- Minimize	a fair a suidh.					C	ancel					_	
16						Minimize	string width:	based on ob	served values				Help						
17							(	Retrieve File F	From Repositor	y									
18					-		1	1	1	1	1	-	-						
19			-																
20				_									_						
21	1			-				and provide the	CONTRACTOR OF STREET, S									+	
Data View	Variable Vie	N																	
Data View	Tana Sie Tie																		
Data													I	BM SPSS	Statistics Pro	cessor is rea	ady		

4. "Does your text file match a predefined format?" izvēlas "No".

ta Untitled14	[DataSet5] - IB	M SPSS Statist	ics Data Ed	itor	-	o ×
<u>File</u> Edit	<u>View</u> <u>D</u> ata	Transform	Analyze	Graphs	Utilities Add-ons Window Help	
2		<b>,</b>	7		🛓 📰 👬 🚟 📰 🐴 📰 📲 🖓 📎 🧠 🦇	
1:					Text Import Wizard - Step 1 of 6	of 0 Variables
	var	var	var	va	ar var var var	var
1					628 840 1 81 28.5 Galaxies of the text import wizard!	4
2	]				632 10200 08 33 L08 This wizard will help you read data from your text file and	
3					633 1740 rs3 41.91 Specify information about the variables.	
4						
5					war war war - Does your test file match a predefined format?	
6				_		
7				_	2 Browse	
8				_		
9				_		
10				_	Text file: C/Users\acerina\Documents\HC35.csv	
10						
13				-	0 10 20 30 40 50 60	
14					1 hovada_kods;SPH2;TPH1;vname;uwc;wc;puwc;pwc	
15					2 LV; TOTAL; TOTAL; 1893223; 1893223; 1893223; 1893223 UV; TOTAL; TOTAL; TOTAL; 1893223; 1893223; 1893223; 1893223 UV; TOTAL; TOTAL; TOTAL; 189323; 1893223; 1893223; 1893223; 18932; 18932	
16					4 LV:TOTAL:MAR_REP:total;239292;229292;229392	
17					5 LV;TOTAL;M1_CH;total;30061;30061;30062;30062	
18						
19					- Back Next > Finish Cancel Halp	
20						
21						*
	1	-			335	
Data View	Variable View					
Data					IBM SPSS Statistics Processor is ready	

5. "How are your variables arranged?" izvēlas "Delimited"."Are variable names included at the top of your file?" izvēlas "Yes".

tal Untitled14	[DataSet5] -	IBM SPSS Statis	tics Data E	litor																_	D	×	
<u>File</u> <u>E</u> dit	View Dat	a <u>T</u> ransform	Analyze	Graphs	Utilities	Add-ons	Window	Help	)														
2			1			M	*5	4		4					6								
1:					ta T	fevt Import W	Nizard - Stor	2 of	6							$\times$				Visil	ble: 0 of 0	Variable	s
	var	var	var	Va	ar		nzura biep	2 01	•								var	var	var	V	ar	var	٦
1					[Ho	ow are your v	variables arr	ange	d?							ר [						4	
2					0	Delimited	- Variat	les a	re delimi	ited by a s	pecific	character	(i.e., com	ma, tab	).								
3					0	Fixed width	- Variat	les a	re aligne	d in fixed	width c	olumns.											
4																							
5																							
6						e variable na	ames includ	ed at	the top o	f your file?	?					٦							
7					0	Yes											_		_				
8					0	No													_		_		
9				_	_												-		_	_			
10																			_				
12				_	Te	ext file: C:\Us	sers\acerina	Docu	uments\H	HC35.csv						1 -	-					_	
13					_	0			20			. 40	50		60							_	
14						1			-1-100	2222.100	2222.	1002222.	1002222		4								
15						2 LV; TO	OTAL; FAM1	tota	1;41134	47;41134	7;411	347;4113	1095225										
16						3 LV; TO	OTAL; MAR_F	EP;t	otal;22	29292;22	9292;	229292;2	29292										
17						4 LV; TO	OTAL;M1_CH	l;tot	al;300	61;30061	;3006	2;30062	0.04		*								
18						4									1								
19								ack	Novt >	Finish	Ca		aln										
20								aux	THEXI >	- Inisii	Cal		eih										
21									_														E
																					_		
Data View	Variable Vie	W																					
Data																	IBM SPSS	Statistics F	Processor is	ready			

6. "The first case of data begins on which line number?" izvēlas "2"."How are your cases represented?" izvēlas "Each line represents a case"."How many cases do you want to import?" izvēlas "All of the cases".

Elle Edit View Data Transform Analyze Graphs Utilities Add-ons Window Help     1     1     1     1     1     1     1     1     1     2     3     4   5   6   6   6   6   7   8     1              1   <	0 Variables var
Var       V	D Variables var
I:       Var       Va	0 Variables var
var       var       var       var       var       var       var         1	var
1     The first case of data begins on which line number?     2       2	
2     Aware your cases represented?       3     Beach line represents a case       4     Aspecific number of yariables represents a case:       6     Beach line represents a case:       7     Beach line represents a case:       8     Comparison	
3     Image: Constraint of the cases       4     Image: Constraint of the cases       5     Image: Constraint of the cases       6     Image: Constraint of the cases       7     Image: Constraint of the cases	
4     A specific number of variables represents a case:     8     •       5     •     •     •       6     •     •     •       7     •     •     •       8     •     •     •	
5         6           7         Image: Constraint of the cases           8         Image: Constraint of the cases	
6     How many cases do you want to import?       8     Ø All of the cases	
7         Image: Second se	
© The first 1000 cases.	
10 A random percentage of the cases (approximate):	
Data preview	
14 0	
15 1 LV:TOTAL:TOTAL:1:1993223:1893223:1893223	
16 Z LV;TOTAL; FAM1;total; 411347; 411347; 411347	
17 IV; TOTAL; MAR_REP; total; 229292; 229292; 229292	
19 SBack Next > Finish Cancel Hein	
Data View Variable View	
Data IBM SPSS Statistics Processor is ready	

7. "Which delimiters appear between variables?" izvēlas "Semicolon" vai citu – atbilstoši datu struktūrai.
"What is the text qualifier?" izvēlas "Double quote".

🕼 Untitled14	[DataSet5]	IBM SPSS Statis	tics Data Ed	litor												- 1	o ×
<u>F</u> ile <u>E</u> dit	<u>View</u> Da	ta <u>T</u> ransform	Analyze	Graphs	Utilitie	s Add- <u>o</u> ns	Windo	w <u>H</u> elp									
			2			H	*,		≤ <u>≥</u> <u>Ⅲ</u>	1 A		ABG					
1:					t	Text Import V	Nizard - [	Delimited Step 4 of	f 6			×				Visible: 0 o	of 0 Variables
	var	var	var	Va	ar				-				var	var	var	var	var
1					L L	Which delimit	ers appe	ar between variab	les?	What is the	e text qualifier?	· · · · · ·					-
2						📃 <u>T</u> ab		Space		O None							
3						Comma Comma		Semicolon		O Single	quote						
4						Other:				Double	quote						
5										Other:							
6																	
7																	
8																	
9					_	Data proviow-											
10																	
11						novada_ko	SPH2	TPH1	vname	UWC	WC	puwc					
12						LV	TOTAL	FAM1	total	411347	411347	4113					
13						LV	TOTAL	MAR_REP	total	229292	229292	2292					
14						LV	TOTAL	M1_CH	total	30061	30061	3006:					
15						LV	TOTAL	NFAM	total	370196	370196	3701					
16						LV	TOTAL	P1	total	338849	338849	3388					
17						LV	TOTAL	MULTI	total	31347	31347	3134 -					
18																	
19							G	Back Nort >	Finish	Cancal	ln						
20								Dack (Next >	Findsh		alb.						
21															1		
-	1																
Data View	Variable Vi	ew															
Data													IBM SPS	S Statistics Pro	ocessor is rea	ady	

8. Izpētot datni, iepazīstas ar mainīgajiem, kuriem priekšā jāsaglabā 0, piemēram, Administratīvo teritoriju un teritoriālo vienību klasifikators (ATVK) izvēlas "Data format" kā "String".

🝓 Untitled 14	[DataSet5] -	IBM SPSS Statis	stics Data E	ditor												- 1	5 X
<u>File</u> <u>E</u> dit	<u>View</u> Da	a <u>T</u> ransform	Analyze	Graphs	Utilitie	Add-ons	Window	Help									
2		<b>II.</b> r	1			M	*,		st 🛄	<b>A</b>		ABG					
1:					to	Text Import	Wizard - Ste	in 5 of 6				×				Visible: 0 c	of 0 Variables
	var	var	var	V	ar	lext import	Wizura Ste	010				~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	var	var	var	var	var
1	Ĩ				۲.	Specification	s for variabl	e(s) selected in	the data prev	view							-
2	]					Variable	name:	Oric	inal Name:								
3	]					Tour	name.	то									
4						IPH1											
5	]					Data form	nat:										
6	]					String		•	Character	s <sup>.</sup> 7	-						
7	]								<u>u</u> ardoton	0. 1							
8	]																
9																	
10																	
11	]																
12						ata preview											
13	]					novada ko	CDU2	TDU1	VIDOMO	104/0	14/0	DUDWC					
14						LV	TOTAL	TOTAL	total	1893223	1893223	1893.4					
15	]					LV	TOTAL	FAM1	total	411347	411347	41134					
16							TOTAL	MAR_REP M1_CH	total	229292	229292	22929					
17							TOTAL	F1 CH	total	151004	151004	1510					
18						1											
19							-	Back Next >	Finish	Cancel	In						
20							6	Dack Lidext >	1 million								
21																	-
	4								***								
Data View	Variable Vi	ew															
Data													IBM SPS	S Statistics Pro	cessor is rea	dy	

## 9. Turpmāko izvēlas atbilstoši pētnieka vajadzībām un spiež pogu "Finish".

ta Untitled14	[DataSet5] - IBI	M SPSS Statist	ics Data Ed	litor													— ť	
<u>File</u> Edit	<u>View</u> <u>D</u> ata	Transform	Analyze	Graphs	Utilities	Add-ons	Window	Help										
		<b>.</b>	3			H			4 <u>2</u>	A 14		ABG						
1:					ta Te	ext Import V	Vizard - Step	6 of 6					X				Visible: 0 o	f 0 Variables
	var	var	var	Va	r									var	var	var	var	var
1								You have	e successfull	ly defined the f	ormat of yo	our text file.						-
2					_			Would	you like to sa	ave this file form	nat for futu	re use?						
3						var1 v	var2 var3 v	© <u>Y</u> es	5			Save As		_				
4				_		1 628	840 1	No						-				
5						2 630	2400 0	Would	you like to na	eto the syntax	2		-					
7	1					4 633	870 0	O Yes	you into to pu			acha data laga						_
8							•	© No				acrie data loca						
9	1																	
10	1							Press th	ne Finish butt	on to complete	the text in	nport wizard.						
11					Da	ita preview-							ר ו					
12					n	ovada_ko	SPH2	TPH1	vname	uwc	wc	puwc						
13						V	TOTAL	TOTAL EAM1	total	1893223	189322	3 1893.						
14				_		V	TOTAL	MAR_REP	total	229292	229292	22929						
15						V	TOTAL	M1_CH	total	30061	30061	30062						
16				_	U	V	TOTAL	NFAM	total	370196	370196	3701		_				
17							TOTAL	D1	total	220040	220040	2200	-	-				
10	1			_														
20	1				_		< <u>B</u> a	ick Next >	Finish	Cancel He	lp							
20													-					
~ .	1			-														1
Data View	Variable View																	
Data														IBM SPSS	Statistics Pro	cessor is rea	ady	